

WO 03/058155 PCT/GB03/00044

9. A disruptor according to any preceding claim wherein the projectile is of one of the following shapes:-

- (i) a cone form;
- (ii) a flat disc;
- 5 (iii) a radially symmetric body provided with a spherical, hyperbolic or other concavity;
 - (iv) a wedge of V-shaped section.
- 10. A disruptor according to any preceding claim wherein the projectile is made of one of the following materials:-
 - (i) magnesium;
 - (ii) zirconium;
 - (iii) titanium.

25

- 15 11. A kit of parts for a disruptor according to any preceding claim, the kit of parts including a container for a disruptor, a projectile, an enclosure for holding explosive material and having a wall locatable at any one of a number of positions thereby to define the capacity of said enclosure.
- 20 12. A method of filling a disruptor comprising a container having a projectile and an enclosure for holding explosive material, the method comprising:

measuring out a quantity of explosive material, placing the quantity of explosive material in the enclosure, locating a wall of the enclosure so that the enclosure is filled with explosive material.

13. A method according to Claim 12 wherein the method includes providing one or more spacer elements to hold the wall in one position and so define the enclosure.

WO 03/058155 PCT/GB03/00044

14. A method of filling a disruptor comprising a container having a projectile and an enclosure for holding explosive material, the method comprising locating a wall of the enclosure at one position and placing explosive material in the enclosure until filled.

15. A method according to Claim 14 wherein the method includes providing one or more spacer elements to hold the wall in one position and so define the enclosure.

10

5